

2014

The application of ecosystem thresholds in the management of tropical coral reefs: a review and synthesis

Leeper, A.

Leeper, A. (2014) 'The application of ecosystem thresholds in the management of tropical coral reefs: a review and synthesis', The Plymouth Student Scientist, 7(1), p. 172-190.

<http://hdl.handle.net/10026.1/14057>

The Plymouth Student Scientist
University of Plymouth

All content in PEARL is protected by copyright law. Author manuscripts are made available in accordance with publisher policies. Please cite only the published version using the details provided on the item record or document. In the absence of an open licence (e.g. Creative Commons), permissions for further reuse of content should be sought from the publisher or author.

The application of ecosystem thresholds in the management of tropical coral reefs: a review and synthesis

Alexandra Leeper

Project Advisor: [Simon Ingram](#), School of Marine Science and Engineering, Plymouth University, Drake Circus, Plymouth, PL4 8AA

Abstract

A review and synthesis was carried out on the extensive literature concerned with ecosystem thresholds on tropical coral reefs to collate research carried out globally, and highlight gaps in the existing knowledge. This study aims to inform the future management of ecosystem thresholds of tropical coral reefs. Information was gathered from existing literature concerning ecosystem thresholds at named tropical coral reef locations and the distribution of studies was mapped in order to draw conclusions about the state of threshold research on coral reefs, and to make recommendations for future research and management. The synthesis highlighted the negative influence of removing herbivorous grazers, and the need for quantitative measures for the resilience of reefs to anthropogenic stress. It was also found that previous research sites predominantly focused on two main areas; The Great Barrier Reefs, and Caribbean reefs.

Introduction

The growing importance of efficient ecological management through the understanding of specific ecosystem thresholds (Samhuri et al 2010) combined with global concern for the long-term degradation of tropical coral reef ecosystems (Pandolfi et al 2003; Halpern et al 2007) makes this review appropriate and timely. An ecosystem threshold is considered to be a sudden and abrupt change in the state of an ecological system (Scheffer et al 2001) at the point a critical value is reached (Muradian 2001), a change that in many cases is irreversible (Petraitis et al 2009). There is an extensive body of existing literature that discusses the existence and techniques for detection of thresholds in a wide range of ecological systems, comprehensively reviewed by Muradian (2001) and Anderson et al (2009), and interest has increased substantially in recent years, **Fig 1.1** showing the increasing number of citations from 1994-2011. Previous research has shown that the concept of thresholds can be a particularly useful tool for ecological management as they provide measureable reference points, and can be a source of motivation for management decision making (Groffman et al 2006; Samhuri et al 2010). Whilst numerous, much of the literature is widespread across a number of disciplines and categorised under multiple terminologies, hindering the efficient, unified use of the existing knowledge base.




Fig 1.1 Citation Reports

Shows a citation report taken from Web Of Science, providing data on the number of citations for terms relating to 'Ecological Thresholds' showing the number of citations per year.

The aim of this review is to draw together this cross-discipline literature in order to enhance the management of tropical coral reef ecosystems in the context of their thresholds. A synthesis was carried out in order to identify key causes and consequences of reaching thresholds for coral reef ecosystems, the dominant locations of previous studies. This information is used to identify the gaps in knowledge for coral reef ecosystem thresholds, and to make recommendations for future management.

The Threshold Concept

The term ecological threshold is used to describe an abrupt, non-linear change in an ecological state (Lintz et al 2011; With and King 1999b) and often requires only a

small environmental change to trigger a significant response (USCCP 2009). **Fig 1.2** displays a schematic representation of how an ecosystem can move between different states under stressors, or pressures. In the majority of studies in this field, ecosystem stress can be fully or partially attributed to anthropogenic activity (McManus and Polsenberg 2004) making informed management decision-making highly important.

Previous research has highlighted the influence of site history, including long-term ecosystem health (Hughes et al 2005) on the vulnerability of an ecosystem to reaching a critical threshold. It is known that thresholds can occur at a range of spatial scales, from individual organisms (Huggett 2005) to planetary systems (Cairns 2004), however in terms of management, ecosystem based spatial scales are frequently recommended in the literature (Samhuri et al 2010; McClanahan et al 2011).




Fig 1.2 Schematic representation of ecosystem thresholds

This figure is adapted from (Gunderson 2000) Where the sphere represents the current ecosystem state, the slope represent the resilience of the ecosystem, and the three images show how resilience alters over time under stress until the point when a critical ecosystem threshold is crossed, and a new ecological state becomes established.

Unravelling Threshold Terminology for Coral Reefs

The term ecosystem threshold, while the most popular key term in the related literature, is only one of the terms used to describe this sudden shift in ecological state. Three other terms included in the search criteria of this review, giving a total of four search terms to ensure relevant literature was captured, include; alternative stable state, considered as the establishment of a stable, alternative community composition (Dudgeon et al 2010), after the crossing of an ecological threshold (Petraitis and Latham 1999); phase shift, and regime shifts, which are often used interchangeably with ecosystem thresholds, and used to describe similar abrupt changes in an ecological system (Collie et al 2004; Done et al 1992). Additional

terms do exist in the literature but are less frequently occurring and so were omitted from the search criteria.

Several terms are intimately associated with ecosystem thresholds, which this paper will briefly define for clarity; ecosystem resilience, which describes the level of disturbance which an ecosystem can withstand, and still maintain its original state (Holling 1973; Gunderson 2000). When resilience is reduced the potential for crossing a threshold is increased (Scheffer et al 2001) (**Fig 1.2**); the feedback loop, which includes both negative and positive feedbacks, which can reinforce or undermine change in states once an alternative stable state has become established (Knowlton 2004).

A preliminary literature search was carried out in order to ascertain the prominence given to ecosystem thresholds in the context of tropical coral reefs compared to other ecosystems. Papers that referred to a specific location and ecosystem type were selected, and the system studies recorded. **Fig 1.3** shows the results for this search in which 60 papers were considered, of which tropical coral reefs dominated the search results. This dominance highlights the need for a targeted review to establish what has been learnt about ecosystem thresholds in this highly studied and equally vulnerable system to adequately inform beneficial future management.




Fig 1.3 Threshold studies across different ecosystems

Bar graph showing the results of the preliminary synthesis of 60 location specific publications for an initial search of ecosystem thresholds across different ecosystem types. From the graph the priority given to coral reef publications in this context can be clearly seen.

Synthesis of Ecosystem Thresholds of Coral Reefs

A coral reef focused literature search was carried out which utilised the same search terms and criteria to explore the cumulative knowledge about the stresses driving, and consequences of, ecosystem thresholds in coral reefs. A total of 50 papers were selected that met the search criteria.

Additional data collected from the 50 papers included the geographical location of each study in order to see if historical studies had focused in specific areas, and where there were little or no publications relating to ecosystem threshold of tropical coral reefs. The locations were placed on a world map and compared with the National Oceanographic Atmospheric Administration (NOAA) global coral reef distribution map produced in 2008. On the synthesis map two different categories are used; Passive studies where the case study is based on the observation of an ecosystem threshold, and Active studies that sought to model or manage the system in some way represented by different symbols.

The cited causes and consequences (**Fig 1.4A** and **1.4B** respectively) highlight the removal of grazers as the most common stress, and the dominance of macroalgae as the most common consequence of ecosystem thresholds on coral reefs.

A comparison of the NOAA global distribution of coral reefs (**Fig 1.5 A**, with **Fig 1.5 B**), which is a distribution of papers included within this synthesis shows that the dominant geographical areas of tropical coral reef study have been in the Caribbean and The Great Barrier Reef, Australia with a real scarcity of studies in Indonesia, West Africa, The Red Sea and the Indian Ocean where there are extensive tropical coral reefs present. The data displayed on map **Fig 1.5 B** also highlights that there is an imbalance in the number of studies simply observing the crossing of ecological thresholds (passive studies) and those trying to predict or stabilise the system (active studies), suggesting a need for more pro-active approaches to ecosystem threshold research on tropical coral reefs. One of the sites labelled on **Fig 1.5 B** was a palaeo-oceanographic study from the Tethys Ocean, where a phase shift was detected from fossil data sets, which explains its inland position.




Fig 1.4 Causes and consequences of reaching ecosystem thresholds
 Where **(A)** Is a bar graph showing the different causes of ecosystem thresholds reported by the 50 papers considered in the synthesis of this paper and **(B)** Is a bar graph that shows the effects reported by the same group of papers.




Fig 1.5 Comparison of the global distribution of reefs, and the distribution of threshold studies

Where (A) is adapted from the NOAA 2008 map of tropical coral reef distribution globally; this stands in contrast to (B) the geographical distribution of 50 papers included in this synthesis. Where (●) represents the passive studies, and (▲) represents the active studies. Two major clusters can be seen, one in the Caribbean, and the other in and around the Great Barrier Reef.

There are a number of limitations associated with this type of synthesis, due to the search criteria a number of papers were omitted to allow comparability between studies. It is also not possible to capture all the related literature within a synthesis, but the studies selected act as a representative sample of those available.

Gaps in the Knowledge and Future Management of Coral Reef Thresholds

The high complexity of tropical coral reefs and the interaction of multiple stressors make their management complex (Maina et al 2011). Efficient management of thresholds requires an in-depth understanding of underlying system dynamics in order to set knowledge-based reference points at which thresholds can be predicted and managed against (McClanahan et al 2011). Adaptive management holds the most potential due to the mobile nature of thresholds and system resilience both spatially and temporally (Folke et al 2004). There are a number of ways that coral reef resilience is thought to be maintained, these include but are not limited to; healthy connectivity with adjacent ecosystems for example mangrove forests (Mumby and Hastings 2008) control of anthropogenic impacts (Maina et al 2011), and the maintenance of high biodiversity (Levin and Lubchenco 2008), however there is a need to explore the strength of these relationships, and to establish coral reefs resilience to anthropogenic stress in a quantitative manner. The development of ecological stress indicators is suggested as a useful management tool in which to facilitate the measurement of resilience in specific coral reefs (Samhuri et al 2010), quantifying macroalgal cover, as it is considered a key consequence has potential for future management, but requires further study to increase understanding of this interaction.

In papers considered in this synthesis that recorded coral reef return to a previous state, recovery was frequently attributed to the presence and health of the population of herbivorous algal grazers (Bellwood et al 2006; Adam et al 2011) which matches the most common cause established in the synthesis, that the removal of grazers drives change in tropical coral reef ecosystem state (**Fig 1.3A**); and also the establishment of Marine Protected Areas (MPAs) (Ledlie et al 2006) which have historically been proven to be beneficial to the area directly under protection when rigorously enforced (Polnac et al 2001). Concern has been voiced in the literature, that the use of thresholds in ecological management may prove minimalist (Lindenmayer and Luck 2005), and so estimates for resilience should be set conservatively.

While there is a high level of concern for coral reefs, there is an underlying lack in policy driven management that is required for international protection of coral reefs (Kushlan 2010). It is important that all management of coral reef thresholds are considered in the context of global climate change (USCCP 2009), supported by the results of the synthesis showing it to be in the top three most commonly cited stresses (**Fig1.4A**). There is a strong likelihood that global climate change will alter existing ecosystem thresholds, trigger new thresholds, or even produce unpredictable ecological responses (Burkett et al 2005) which may affect management decisions. Additionally, resilience of ecosystems to existing or new stresses may be reduced in the presence of climate change pressures (Folke et al 2004; Travis 2003). Use of the Ecosystem-based management (EBM) technique increasingly recommended for the management of coastal resources (Browman et al 2005) and for the management of resilience (Levin and Lubchenco 2008), and as such is highly applicable to threshold management, particularly as EBM incorporates human interactions with coral reef ecosystems in order to monitor and mitigate for anthropogenic stresses identified that drive changes in state.

Conclusions

There is a rising global concern for the efficient management of tropical coral reef ecosystems, and an extensive body of literature exists which refer to coral reefs in terms of thresholds. This review highlights the stress induced by the removal of grazers from the system and the need to establish quantitative measures of specific reef system resilience.

This review suggests that past research focussing on the Caribbean and Great Barrier Reefs is transposed onto relatively unstudied geographical sites, in particular the Indonesian, Pacific Ocean reefs and those in the Arabian Sea. Research should focus primarily on past examples of recovery which suggest the maintenance of populations of herbivorous grazers to establish the effectiveness of various potential management and recovery strategies. In order to achieve this, studies should be primarily pro-active in order to benefit the future of coral reefs and the knowledge of their ecological thresholds.

There is a good case for using ecosystem thresholds in the management of tropical coral reefs. Future research needs to cover two areas; firstly, developing a greater understanding of the present reef dynamics and those in the context of predicted future climate, and secondly to establish the effectiveness of possible management strategies.

References

- Adam, T. C., Schmitt, R. J., Holbrook, S. J., Brooks, A. J., Edmunds, P. J., Carpenter, R. C. & Bernardi, G. 2011. Herbivory, Connectivity, and Ecosystem Resilience: Response of a Coral Reef to a Large-Scale Perturbation. *Plos One*, 6 (8).
- Adjeroud, M, Michonneau, F., Edmunds, P. J., Chancerelle, Y., Loma, d.L.T., Penin, L., Thibaut, L., Vidal-Dupiol, J., Salvat, B. & Galzin, R. 2009. Recurrent disturbances, recovery trajectories, and resilience of coral assemblages on a South Central Pacific reef. *Coral Reefs*, 28, 775-780.
- Al-Madany, M.I., Abdalla, A. M. & Abdu, E.S.A.1991. Coastal Zone Management in Bahrain: An Analysis of Social, Economic and Environmental Impacts of Dredging and Reclamation. *Journal of Environmental Management*, 32 (4), 335-348.
- Andersen, T., Cartensen, J., Hernández-Garcia, E. & Duarte, M.C. 2009. Ecological Thresholds and Regime Shifts: Approaches to Identification. *Trends in Ecology & Evolution*, 24(1), 49-57.
- Anderson, J.P. & Piatt, F.J. 1999. Community reorganization in the Gulf of Alaska following ocean climate regime shift. *Marine Ecology Progress Series*, 189, 117-123.
- André, J., Haddon, M. & Pecl, T.G. 2010. Modelling climate-change-induced non-linear thresholds in cephalopod population dynamics. *Global Change Biology*, 16, 2866-2875.
- Angelstam, K.P., Butler, R., Lazdinis, M., Mikusinski, G. & Roberge, J-M. 2003. Habitat thresholds for focal species at multiple scales and forest biodiversity conservation-dead wood as an example. *Annales Zoologici Fennici*, 40, 473-482.

- Aronson, R. B., MacIntyre, G.I., Wapnick, M.C. & O'Neill, W.M. 2004. Phase shifts, alternative states, and the unprecedented convergence of two reef systems. *Ecology*, 85(7), 1876-1891.
- Aronson, R. B. & Precht, W. F. 2001. White-band disease and the changing face of Caribbean coral reefs. *Hydrobiologia*, 460, 25-38.
- Ateweberhan, M., Bruggemann, J. H. & Breeman, M.A. 2006. Effects of extreme seasonality on community structure and functional group dynamics of coral reef algae in the Southern Red Sea (Eritrea). *Coral Reefs*, 25, 391-406.
- Bagchi, S., Briske, D.D., Wu, B.X., McClaran, P.M., Bestelmeyer, T.B & Fernandez-Gimenez, E.M. 2012. Empirical assessment of state-and-transition models with a long-term vegetation record from the Sonoran Desert. *Ecological Applications*, 22(2), 400-411.
- Bai, Y., Wu, J., Clark, M.C., Naeem, S., Pan, Q., Huang, J., Zhang, L. & Han, X. 2010. Tradeoffs and thresholds in the effects of nitrogen addition on biodiversity and ecosystem functioning: evidence from Inner Mongolia grasslands. *Global Change Biology*, 16, 358-372.
- Baird, H.A., Campbell, J.S., Anggoro, W.A., Ardiwijaya, L.R., Fadli, N., Herdiana, Y., Kartawijaya, T., Mahyiddin, D., Mukminin, A., Pardede, T.S., Prachett, S.M., Rudi, E. & Siregar, M.A. 2005. Acehnese reefs in the wake of the Asian tsunami. *Current Biology*, 15, 1926-1930.
- Baoshan, C., Qiang, H. & Xinsheng, Z. 2008. Ecological thresholds of *Suaeda salsa* to the environmental gradients of water table depth and soil salinity. *Acta Ecologica Sinica*, 28(4), 1408-1418.
- Batten, D.S. & Welch, W.D. 2004. Changes in oceanic zooplankton populations in the north-east Pacific associated with the possible climatic regime shift of 1998/1999. *Deep-Sea Research II*, 51, 863-873.
- Beck, W.J., Recy, J., Taylor, F., Edwards, R. L. & Cabloch, G. 1997. Abrupt changes in early holocene tropical sea surface temperature derived from coral records. *Nature*, 385, 705-707.
- Bell, F.R.P. 1992. Eutrophication and coral reefs-some examples in the Great Barrier Reef Lagoon. *Water Research*, 26(5), 553-568.
- Belliveau, A.S. & Paul, J.V. 2002. Effects of herbivory and nutrients on the early colonization of crustose coralline and fleshy algae. *Marine Ecology Progress Series*, 232, 105-114.
- Bellwood(a), D. R., Hughes, T. P. & Hoey, A. S. 2006. Sleeping functional group drives coral-reef recovery. *Current Biology*, 16(24), 2434-2439.

Bellwood(b).R.D., Hoey, S.A., Ackerman, L.J. & Depczynski, M. 2006. Coral bleaching, reef fish community phase shifts and the resilience of coral reefs. *Global Change Biology*.12, 1587-1594.

Béné, C, Evans, L., Mills, D., Ovie, S., Raji, A., Tafida, A., Kodio, A., Sinaba, F., Morand, P., Lemoalle, J. & Andrew, N. 2011. Testing resilience thinking in a poverty context: Experience from the Niger River Basin. *Global Environmental Change*, 21, 1173-1184.

Benson, J.A. & Trites, W.A. 2002. Ecological effects of regime shifts in the Bering Sea and eastern North Pacific Ocean. *Fish and Fisheries*, 3, 95-113.

Berumen, F.R.P & Prachett, S.M. 2006. Recovery without resilience: persistent disturbance and long-term, shifts in the structure of fish and coral communities at Tiahura Reef, Moorea. *Coral Reefs*, 25, 647-653.

Blackwood, C.J. & Hastings, A. 2011. The effect of time delays on Caribbean coral-algal interactions. *Journal of Theoretical Biology*, 273, 37-43.

Blackwood, C.J., Hastings, A & J., M. P. 2012. The effect of fishing on hysteresis in Caribbean coral reefs. *Theoretical Ecology*, 5, 105-114.

Bodin, O., Tengo, M., Norman, A, Lundberg, J. & Elmqvist, T. 2006. The value of small size: Loss of forest patches and ecological thresholds in Southern Madagascar. *Ecological Applications*, 16(2), 440-451.

Box, J.S. & Mumby, J.P. 2007. Effect of macroalgal competition on growth and survival of juvenile Caribbean corals. *Marine Ecology Progress Series*, 342, 139-149.

Brewer, D.T, Cinner, E.J., Green, A. & Pandolfi, M.J. 2009. Thresholds and multiple scale interaction of environment, resource use, and market proximity on reef fishery resources in the Solomon Islands. *Biological Conservation*, 142, 1797-1807.

Briant, G., Gond, V. & Laurance, W.G.S. 2010. Habitat fragmentation and the desiccation of forest canopies: A case study from eastern Amazonia. *Biological Conservation*, 143, 2763-2769.

Brodeur, D.R, Decker, B.M., Ciannelli, L., Purcell, E.J., Bond, A.N., Stabeno, J.P., Acuna, E. & Hunt, J.L.G. 2008. Rise and fall of jellyfish in the eastern Bering Sea in relation to climate regime shifts. *Progress in Oceanography*, 77, 109-111.

Browman, I.H. & Stergiou, I.K. 2004. Perspectives on ecosystem based management of marine resources. *Marine Ecology-Progress Series*, 247, 269-303.

Burkett, R.V., Wilcox, A.D., Stottlemeyer, R., Barrow, W., Fagre, D., Baron, J., Price, J., Nielsen, L.J., Allen, D.C., Peterson, L.D., Ruggreone, G. & Doyle, T. 2005. Nonlinear Dynamics in Ecosystem Response to Climatic Change: Case Studies and Policy Implications. *Ecological Complexity*, 2(4), 357-394.

Cairns, Jr.J. 2004. Ecological Tipping Points: A Major Challenge for Experimental Sciences. *Asian Journal of Experimental Sciences*, 18(12), 1-16.

Carstensen, J. & Weydmann, A. 2012. Tipping points in the Arctic: Eyeballing or statistical significance? *AMBIO*, 41, 34-43.

Cheal, J.A., MacNeil, M. A., Cripps, E., Emslie, J.M., Jonker, M., Schaffelke, B. & Sweatman, H. 2010. Coral-macroalgal phase shifts or reef resilience: links with diversity and functional roles of herbivorous fishes on the Great Barrier Reef. *Coral Reefs*, 29, 1005-1015.

Collie, J. S., Richardson, K. & Steele, J. H. 2004. Regime shifts: can ecological theory illuminate the mechanisms?. *Progress in Oceanography*, 60(2-4), 281-302.

Connell, D.S. & Russell, D.B. 2010. The direct effects of increasing CO₂ and temperature on non-calcifying organisms: increasing the potential for phase shifts in kelp forests. *Proceedings of The Royal Society*, 277, 1409-1415.

Corrales, J., Naja, M.G., Dziuba, C., Rivero, G.R. & Orem, W. 2011. Sulphate threshold target to control methylmercury levels in wetland ecosystems. *Science of the Total Environment*, 409, 2156-2162.

Cuet, P., Naim, O., Faure, G. & Conan, Y.J. 1998. Nutrient-rich groundwater impact on benthic communities on La Saline fringing reef (Reunion Island, Indian Ocean) preliminary results. *Proceedings of the 6th International Coral Reef Symposium 2*, 207-212.

Cumming, S.G., Southworth, J., Rondon, J.X. & Marsik, M. 2012. Spatial complexity in fragmenting Amazonian rainforests: Do feedbacks from edge effects push forests towards an ecological threshold? *Ecological Complexity*, 11, 67-74.

Daily, P.J., Hitt, P.N, Smith, R.D. & Snyder, D.C. 2012. Experimental and environmental factors affect spurious of ecological thresholds. *Ecology*, 93(1), 17-23.

Daskalov, M.G., Grishin, N.A., Rodionov, S. & Mihneva, V. 2007. Trophic cascades triggered by overfishing reveal possible mechanisms of ecosystem regime shifts. *Proceedings of the National Academy of Sciences*, 104(25), 10518-10523.

deMenocal, P., Ortiz, J., Guilderson, T., Adkins, J., Sarnthein, M., Baker, L. & Yarusinsky, M. 2000. Abrupt onset and termination of the African Humid Period: rapid climate responses to gradual insolation forcing. *Quaternary Science Reviews*, 19, 347-361.

Diaz-Pulido, G., McCook, J.L., Dove, S., Berkelmans, R., Roff, G., Kline, I.D., Weeks, S., Evans, D.R., Williamson, H.D. & Hoegh-Guldberg, O. 2009. Doom and Boom on a Resilient Reef: Climate change, algal overgrowth and coral recovery. *PLoSone*, 4(4), 1-9.

Done, T. J. 1992. Phase-shifts in coral-reef communities and their ecological significance. *Hydrobiologia*, 247(1-3), 121-132.

Drinkwater, F.K. 2006. The regime shift of the 1920s and 1930s in the North Atlantic. *Progress in Oceanography*, 68, 34-151.

Drinnan, N.I. 2005. The search for fragmentation thresholds in a Southern Sydney Suburb. *Biological Conservation*, 124, 339-349.

Dudgeon, S. R., Aronson, R. B., Bruno, J. F. & Precht, W. F. 2010. Phase shifts and stable states on coral reefs. *Marine Ecology-Progress Series*, 413, 201-216.

Edinger, N.E., Jompa, J., Limmon, V.G., Widjatmoko, W. & Risk, J.M. 1998. Reef Degradation and Coral Biodiversity in Indonesia: Effects of Land-based Pollution, Destructive Fishing Practices and Changes Over Time. *Marine Pollution Bulletin*, 36(8), 617-630.

Edmunds, P. J. & Carpenter, R. C. 2001. Recovery of *Diadema antillarum* reduces macroalgal cover and increases abundance of juvenile corals on a Caribbean reef. *Proceedings of the National Academy of Sciences of the United States of America*, 98(9), 5067-5071.

Endean, R. & Cameron, M.A. 1985. Ecocatastrophe on the Great Barrier Reef. *Proceedings of the 5th International Coral Reef Symposium*. 309-314.

Foley, A.J., Coe, T.M., Scheffer, M. & Wang, G. 2003. Regime Shifts in the Sahara and Sahel: Interactions between ecological and climatic systems in Northern Africa. *Ecosystems*, 6, 524-539.

Folke, C., Carpenter, S., Walker, B., Scheffer, M., Elmqvist, T., Gunderson, L. & Holling, C. S. 2004. Regime shifts, resilience, and biodiversity in ecosystem management. *Annual Review of Ecology Evolution and Systematics*, 35, 557-581.

Garten, J.T.C. & Ashwood, L.T. 2004. Modeling soil quality thresholds to ecosystem recovery at Fort Benning, GA, USA. *Ecological Engineering*, 23, 351-369.

Groffman, M.P., Baron, S.J., Blett, T., Gold, J.A., Goodman, I., Gunderson, H.L., Levinson, M.B., Palmer, A.M., Paerl, W.H., Peterson, D.G., Poff, L.N., Rejeski, W.D., Reynolds, F.J., Turner, G.M., Weathers, C.K. & Wiens, J. 2006. Ecological Thresholds: the Key to Successful Environmental Management or an Important Concept with no Practical Application?. *Ecosystems*, 9, 1-13.

Gunderson, H.L. 2000. Ecological Resilience-in Theory and Application. *Annual Review of Ecology and Systematics*, 31, 425-439.

Halpern, S.B., Selkoe, A.K., Micheli, F. & Kappel, V.C. 2007. Evaluating and Ranking the Vulnerability of Global Marine Ecosystems to Anthropogenic Threats. *Conservation Biology*, 21(5), 1301-1315.

Hanberry, B.B., Dey, C.D. & He, S.H. 2012. Regime shifts and weakened environmental gradients in open oak pine ecosystems. *PLoSone*, 7(7), 1-16.

Hare, R.S. & Mantua, J.N. 2000. Empirical evidence for North Pacific regime shifts in 1977 and 1989. *Progress in Oceanography*, 47, 103-145.

Hay, E.M. 1984. Pattern of fish and urchin grazing on Caribbean coral reefs: Are previous results typical?. *Ecology*, 65(2), 446-454.

Hobbs, O.W., Hobbs, R.M.J., LaFrancois, T., Zimmer, D.K., Theissen, M.K., Edlund, B.M., Michelutti, N., Butler, G.M., Hanson, A.M. & Carlson, J.T. 2012. A 200-year perspective on alternative stable state theory and lake management from a biomanipulated shallow lake. *Ecological Applications*, 22, 1483-1496.

Holling, S.C. 1973. Resilience and Stability of Ecological Systems. *Annual Review of Ecology and Systematics*, 4, 1-23.

Huber, V., Wagner, C., Gerten, D. & Adrian, R. 2012. To bloom or not to bloom: contrasting responses of cyanobacteria to recent heat waves explained by critical thresholds of abiotic drivers. *Oecologia*, 169, 245-256.

Huggett, J.A. 2005. The Concept and Utility of 'Ecological Thresholds' in Biodiversity Conservation. *Biological Conservation*, 124 (3), 301-310.

Hughes, T. P. 1994. 'Catastrophes, phase shifts, and large-scale degradation of a Caribbean coral reef.'. *Science*, 265(5178), 1547-1551.

Hughes, T. P., Graham, N. A. J., Jackson, J. B. C., Mumby, P. J. & Steneck, R. S. 2010. Rising to the challenge of sustaining coral reef resilience. *Trends in Ecology & Evolution*, 25(11), 633-642.

Hughes, T. P., Rodrigues, M. J., Bellwood, D. R., Ceccarelli, D., Hoegh-Guldberg, O., McCook, L., Moltschanowskyj, N., Pratchett, M. S., Steneck, R. S. & Willis, B. 2007. Phase shifts, herbivory, and the resilience of coral reefs to climate change. *Current Biology*, 17(4), 360-365.

Hughes, P.T., Bellwood, D.R., Folke, C., Steneck, R. S. & Wilson, J. 2005. New Paradigms for Supporting the Resilience of Marine Ecosystems. *Trends in Ecology & Evolution*, 20(7), 380-386.

Hughes, P.T., Reed, C.D. & Boyle, M-J. 1987. Herbivory on coral reefs: community structure following mass mortalities of sea urchins. *Journal of Experimental Marine Biology and Ecology*, 113(1), 39-59.

Idjadi, A.J., Lee, C.S., Bruno, F.J., Precht, F.W., Allen-Requa, L. & Edmunds, P. J. 2006. Rapid phase-shift reversal on a Jamaican coral reef. *Coral Reefs*, 25, 209-211.

King, S.R., Baker, E.M., Kazyak, F.P. & Weller, E.D. 2011. How novel is too novel? Stream community thresholds at exceptionally low levels of catchment urbanization. *Ecological Applications*, 21(5), 1659-1678.

- Knowlton, N. 2004. Multiple "stable" states and the conservation of marine ecosystems. *Progress in Oceanography*, 60(2-4), 387-396.
- Kortsch, S., Primicerio, R., Beuchel, F., Renaud, E.P., Rodrigues, J., Lonne, J.O. & Gulliksen, B. 2012. Climate-driven regime shifts in Arctic marine benthos. *Proceedings of the National Academy of Sciences*, 109(35), 14052-14057.
- Kushlan, K. 2010. Coral Reefs: The Failure to Regulate at the International Level. *Coral Reefs*, 33(2), 317-341.
- Lapointe, E.B. 1997. Nutrient thresholds for bottom-up control of macroalgal blooms in coral reefs in Jamaica and Southeast Florida. *Limnology and Oceanography*, 42(5) 1119-1131.
- Ledlie, H.M., Graham, J.A.N., Bythell, C.J., Wilson, K.S., Jennings, S., Plunin, C.V.N. & Hardcastle, J. 2007. Phase Shifts and Role of Herbivory in the Resilience of Coral Reefs. *Coral Reefs*, 26, 641-653.
- Levin, A.S. & Lubchenco, J. 2008. Resilience, Robustness, and Marine Ecosystem-Based Management. *BioScience*, 58(1), 27-32.
- Lindenmayer, B.D., Fischer, J. & Cunningham, B.R. 2005. Native vegetation cover thresholds associated with species response. *Biological Conservation*, 124, 311-316.
- Lindenmayer, B.D. & Luck, G. 2005. Synthesis: Thresholds in Conservation and Management. *Biological Conservation*, 124, 351-354.
- Lindsay, W.R. & Zhang, J. 2005. The thinning of Arctic Sea Ice, 1988-2003: Have we passed a Tipping Point? *American Meteorological Society*, 18, 4879-4894.
- Lintz, E.H., McCune, B., Gray, N.A. & McCulloch, A.K. 2011. Quantifying ecological thresholds from response surfaces. *Ecological Modelling*, 222, 427-436.
- Maina, J., McClanahan, R.T., Venus, V., Ateweberhan, M. & Madin, J. 2011. Global Gradients of Exposure to Environmental Stresses and Implications for Local Management. *Plos One*, 6(8), 1-14.
- Manzello, P.D., Berkelmans, R. & Hendee, C.J. 2007. Coral bleaching indices and thresholds for the Florida Reef track Bahamas, and St. Croix, US Virgin Islands. *Marine Pollution Bulletin*, 54, 1923-1931.
- Marten, G.G. 2005. Environmental Tipping Points: A new paradigm for restoring ecological security. *Journal of Policy Studies (Japan)*, 20,75-87.
- Martin, L.K. & Kirkman, K.L. 2009. Management of ecological thresholds to re-establish disturbance-maintained herbaceous wetlands of the south-eastern USA. *Journal of Applied Ecology*, 46,906-914.
- McClanahan, T. R., Graham, N. A. J., MacNeil, M. A., Muthiga, N. A., Cinner, J. E., Bruggemann, J. H. & Wilson, S. K. 2011. Critical thresholds and tangible targets for

ecosystem-based management of coral reef fisheries. *Proceedings of the National Academy of Sciences of the United States of America*, 108(41), 17230-17233.

McCook, L. J. 1999. Macroalgae, nutrients and phase shifts on coral reefs: scientific issues and management consequences for the Great Barrier Reef. *Coral Reefs*, 18(4), 357-367.

McCook, J.L. 2001. Competition between corals and algal turfs along a gradient of terrestrial influence in the nearshore central Great Barrier Reef. *Coral Reefs*, 19,419-425.

McManus, J. W. & Polsenberg, J. F. 2004. Coral-algal phase shifts on coral reefs: ecological and environmental aspects. *Progress in Oceanography*, 60(2-4), 263-279.

Miller, W.M., Hay, E.M., Miller, L.S., Malone, D., Sotka, E.E. & Szmant, A.M. 1999. Effects of nutrients versus herbivores on reef algae: A new method for manipulating nutrients on coral reefs. *Limnology and Oceanography*, 44(8), 1847-1861.

Mumby, P. J., Hastings, A. & Edwards, J.H. 2007. Thresholds and the resilience of Caribbean coral reefs. *Nature*, 450, 98-101.

Mumby, J.P. 2009. Phase shifts and the stability of macroalgal communities on Caribbean coral reefs. *Coral Reefs*, 28, 761-773.

Mumby, J.P. & Hastings, A. 2008. The Impact of Ecosystem Connectivity on Coral Reef Resilience. *Journal of Applied Ecology*, 45(3), 854-862.

Muradian, R. 2001. Ecological Thresholds: A Survey. *Ecological Economics*, 38(1), 7-24.

Nepstad, C.D., Stickler, M.C., Soares-Filho, B. & Merry, F. 2008. Interactions among Amazon land use, forests and climate: prospects for a near-term forest tipping point. *Philosophical Transactions of The Royal Society of Biological Sciences*, 363, 1737-1746.

Nystrom, M., Folke, C. & Moberg, F. 2000. Coral reef disturbance and resilience in a human-dominated environment. *Trends in Ecology & Evolution*, 15(10), 413-417.

Obura, O.D. 2005. Resilience and climate change: lessons from coral reefs and bleaching in the Western Indian Ocean. *Estuarine, Coastal and Shelf Science*, 63,353-372.

Odion, C.D., Moritz, A.M. & DellaSala, A.D. 2010. Alternative community states maintained by fire in the Klamath Mountains, USA. *Journal of Ecology*, 98, 96-105.

Ostrander, K.G., Armstrong, M.K., Knobbe, T.E., Gerace, D. & Scully, P.E. 2000. Rapid transition in the structure of a coral reef community: The effects of coral bleaching and physical disturbance. *Proceedings of the National Academy of Sciences*, 97(10), 5297-5302.

Palandro, A.D., Andrefouet, S., Hu, C., Hallock, P., Muller-Karger, E.F., Dustan, P., Callahan, K.M., Kranenburg, C. & Beaver, R.C. 2008. Quantification of two decades of shallow-water coral reef habitat decline in Florida Keys National Marine Sanctuary using Landsat data (1984-2002). *Remote Sensing of Environment*, 112, 3388-3399.

Pandolfi, M.J., Badbury, H.R., Sala, E., Hughes, P.T., Bjomdal, A.K., Cooke, G.R., McArdle, D., McClenachan, L., Newman, H.J.M., Paredes, G., Warner, R.R. & Jackson, C.B.J. 2003. Global Trajectories of the Long-term Decline of Coral Reef Ecosystems. *Science*, 301(5635), 955-958.

Pardini, R., Bueno, A.d.A., Gardner, A.T., Prado, I.P. & Metzger, P.J. 2010. Beyond the fragmentation threshold hypothesis: Regime shifts in biodiversity across fragmented landscapes. *PLoSone*, 5(10), 1-10.

Persson, L., Amundsen, P-A., Roos, D.M.A., Klemetsen, A., Knudsen, R. & Primicerio, R. 2007. Culling prey promotes predator recovery-alternative states in a whole-lake experiment. *Science*, 316, 1743-1746.

Petraitis, S.P. & Latham, E.R. 1999. The Importance of Scale in Testing the Origins of Alternative Community States. *Ecology*, 80(2), 429-442.

Petraitis, S.P., Methratta, T.E., Rhile, C.E., Vidargas, A.N. & Dudgeon, R.S. 2009. Experimental Confirmation of Multiple Community States in Marine Ecosystems. *Oecologia*, 161(1), 139-148.

Pollnac, B.R., Crawford, R.B. & Gorospe, G.L.M. 2001. Discovering Factors that Influence the Success of Community-Based Marine Protected Areas in the Visayas, Philippines. *Ocean and Coastal Management*, 44,683-710.

Porter, E. & Johnson, S. 2007. Translating science into policy: Using ecosystem thresholds to protect resources in Rocky Mountain National Park. *Environmental Pollution*, 149,268-280.

Pratchett, M. S., Trapon, M., Berumen, L.M. & Chong-Seng, K. 2011. Recent disturbances augment community shifts in coral assemblages in Moorea, French Polynesia. *Coral Reefs*, 30,183-193.

Rassweiler, A., Schmitt, J.R. & Holbrook, J. S. 2010. Triggers and maintenance of multiple shifts in the states of a natural community. *Oecologia*, 164,489-498.

Reid, C.P., Borges, F.d.M. & Svendsen, E. 2001. A regime shift in the North Sea circa 1988 linked to changes in the North Sea horse mackerel fishery. *Fisheries Research*, 50,163-171.

Roche, C.R., Perry, T.C., Johnson, G.K., Sultana, K., Smithers, G.S. & Thompson, A.A. 2011. Mid-Holocene coral community data as baselines for understanding contemporary reef ecological states. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 299, 159-167.

Rogers, S.C. & Miller, J. 2006. Permanent 'phase shifts' or reversible declines in coral cover? Lack of recovery of two coral reefs in St. John, US Virgin Islands. *Marine Ecology Progress Series*, 306, 103-114.

Samhouri, J. F., Levin, P. S. & Ainsworth, C. H. 2010. Identifying Thresholds for Ecosystem-Based Management. *Plos One*, 5(1).

Sasaki, T., Okayasu, T., Jamsran, U. & Takeuchi, K. 2007. Threshold changes in vegetation along a grazing gradient in Mongolian rangelands. *Journal of Ecology*, 96(1), 145-154.

Scheffer, M., Carpenter, S., Foley, J. A., Folke, C. & Walker, B. 2001. Catastrophic shifts in ecosystems. *Nature*, 413(6856), 591-596.

Schooler, S.S., Salau, B., Julien, H.M. & Ives, R.A. 2011. Alternative stable states explain unpredictable biological control of *Salvinia molesta* in Kakadu. *Nature*, 470, 86-89.

Scopelitis, J., Andrefouet, S. & Largouet, C. 2007. Modelling coral reef habitat trajectories: Evaluation of an integrated timed automata and remote sensing approach. *Ecological Modelling*, 205, 59-80.

Smith, E.F., Runcie, W.J. & Smith, M.C. 2005. Characterization of a large-scale ephemeral bloom of the green alga *Cladophora sericea* on the coral reefs of West Maui, Hawai'i. *Marine Ecology Progress Series*, 302, 77-91.

Smith, E.J., Hunter, L.C. & Smith, M.C. 2010. The effects of top-down versus bottom-up control on benthic coral reef community structure. *Oecologia*, 163, 497-507.

Smith, P.D.S. 2012. Identifying and evaluating causes of alternative community states in wetland plant communities. *Oikos*, 121, 675-686.

Smith, P.F., Prober, M.S., House, P.N.A. & McIntyre, S. 2012. Maximizing retention of native biodiversity in Australian agricultural landscapes- The 10:20:40:30 guidelines. *Agriculture, Ecosystems and Environment*, In Press

Smol, P.J & Douglas, V.S.M 2007. Crossing the final ecological threshold in high Arctic ponds. *Proceedings of the National Academy of Sciences*, 104(30), 12395-12397.

Tam, T. W. & Ang, P. O. 2009. Catastrophic regime shifts in coral communities exposed to physical disturbances: Simulation results from object-oriented 3-dimensional coral reef model. *Journal of Theoretical Biology*, 259(2), 193-208.

Torrents, O., Tambutté, E., Caminiti, N. & Garrabou, J. 2008. Upper thermal thresholds of shallow vs. deep populations of the precious Mediterranean red coral *Corallium rubrum* (L.): Assessing the potential effects of warming in the NW Mediterranean. *Journal of Experimental Marine Biology and Ecology*, 357, 7-19.

Travis, J.M.J. 2003. Climate Change and Habitat Destruction: A Deadly Cocktail. *The Proceedings Of The Royal Society of Biological Sciences*, 270(1514), 467-473.

USCCSP. 2009. *Thresholds of Climate Change in Ecosystems*. Available.

Vaquier-Sunyer, R. & Duarte, M.C. 2008. Thresholds of hypoxia for marine biodiversity. *Proceedings of the National Academy of Sciences*, 105(40), 15452-15457.

Vazquez, F., Lopez, C., Calabrese, M.J. & Munoz, A.M. 2010. Dynamical phase coexistence: A simple solution to the 'savanna problem'. *Journal of Theoretical Biology*, 264, 360-366.

Vermeij, A.J.M., Dailer, L.M. & Smith, M.C. 2011. Crustose coralline algae can suppress macroalgal growth and recruitment on Hawaiian coral reefs. *Marine Ecology Progress Series*, 422, 1-7.

Viglizzo, F.E. & Frank, C.F. 2006. Ecological interactions, feedbacks, thresholds and collapses in the Argentine Pampas in response to climate and farming during the last century. *Quaternary International*, 158, 122-126.

With, A.K. & Crist, O.T. 1995. Critical thresholds in species responses to landscape structure. *Ecology*, 76, 2446-2459.

With, A.K. & King, W.A. 1999. Extinction thresholds for species in fractal landscapes. *Conservation Biology*, 13, 314-326.

Wooldridge, A.S. 2009. Water quality and coral bleaching thresholds: Formalising the linkage for the inshore reefs of the Great Barrier Reef, Australia. *Marine Pollution Bulletin*, 58, 745-751.

Work, M.T, Aeby, S.G. & Maragos, E.J. 2008. Phase shift from a coral to a corallimorph-dominated reef associated with a shipwreck on Palmyra Atoll. *PLoS one*, 3(8), 1-5.

Zamagni, J., Kosir, A. & Mutti, M. 2009. The first microbialite - coral mounds in the Cenozoic (Uppermost Paleocene) from the Northern Tethys (Slovenia): Environmentally-triggered phase shifts preceding the PETM? *Palaeogeography, Palaeoclimatology, Palaeoecology*, 274, 1-17.